

Lettertypen voor TEX

Wat hebben we al in de kast liggen?

Siep Kroonenberg

NTG Dag 8 juni 2007 in Utrecht

Onderwerpen

- Hoe vind ik fonts in mijn T_EX installatie?
- Alternatieven voor wiskunde
- T_EX Gyre
- Display fonts

Hoe vind ik fonts in mijn TeX installatie?

- CTAN catalogus ('Distributions' knop!)
- 'A Survey of Free Math Fonts' (Hartke)
CTAN: [info/Free_Math_Font_Survey/](http://ctan.org/info/Free_Math_Font_Survey/)
TeX Live: texmf-dist/doc/latex/free-math-fonts-survey/
- UK TeX FAQ
Online: <http://www.tex.ac.uk/faq>
CTAN: [help/uk-tex-faq/](http://ctan.org/help/uk-tex-faq/)
TeX Live: texmf-dist/doc/latex/FAQ-en/
- 'The Comprehensive LaTeX Symbol List'
CTAN: [info/symbols/comprehensive/](http://ctan.org/info/symbols/comprehensive/)
TeX Live: texmf-dist/doc/latex/comprehensive/
- TeX installatie
TeX Live: texmf-dist/doc/fonts/
MikTeX26: <MikTeXroot>/doc/fonts/

THE **TEX** CATALOGUE
ONLINE

[Search](#) | [Home](#) | [Alpha](#) | [Brief](#) | [Topical](#) | [Hierarchical](#)

arev

Fonts and LaTeX support files for Arev Sans.

[Visit](#)[Download](#)[Documentation](#)[Distributions](#)

This package is included in TeX
Live.



This package is included in
MikTeX.

The author is Stephen Hartke.

The package arev provides type 1 and virtual fonts, together with LaTeX packages for using **Arev Sans** in both text and mathematics. Arev Sans is a derivative of Bitstream Vera Sans created by Tavmjong Bah, adding support for Greek and Cyrillic characters. Bah also added a few variant letters that are more appropriate for mathematics. The primary purpose for using Arev Sans in LaTeX is presentations, particularly when using a computer projector. In such a context, Arev Sans is quite readable, with large x-height, "open letters", wide spacing, and is very similar to the Slides font lcmss, but heavier.

Small number of sans-font mathematics support packages. Others are and **kerkis**.

License: **lppl** Catalogued: **2007-02-25**

Copyright © 1986-2006 **Graham.Williams@togaware.com**. This page was generated 2007-02-26 01:21:37.

Alternatieven voor wiskunde

Concrete met Euler

\usepackage{ccfonts,eulervm}

Theorem 1 (Residue Theorem). Let f be analytic in the region G except ... then

$$\frac{1}{2\pi i} \int_{\gamma} f = \sum_{k=1}^m n(\gamma; a_k) \text{Res}(f; a_k).$$

αβδδεεζξγήηικκληθθσσφφρρτπμνυωωχψ∞ α ØØ ε

Bookman met Euler

\usepackage{bookman,eulervm}

Theorem 1 (Residue Theorem). Let f be analytic in the region G except ... then

$$\frac{1}{2\pi i} \int_{\gamma} f = \sum_{k=1}^m n(\gamma; a_k) \text{Res}(f; a_k).$$

αβδεεζξγήηικηληθθσσφφρρτπμνυωωχψψ ρ 6

Arev (=Bitstream Vera Sans)

\usepackage{arev}

Theorem 1 (Residue Theorem). Let f be analytic in the region G except ... then

$$\frac{1}{2\pi i} \int_{\gamma} f = \sum_{k=1}^m n(\gamma; a_k) \text{Res}(f; a_k).$$

Iwona

```
\usepackage[math]{iwona}
```

THE DAZED BROWN FOX
QUICKLY GAVE 12345-67890 JUMPS!
† ≠ £ \$ † ® © % §

¿But aren't Kafka's SCHLOß and Æsop's ŒUVRES often naïve vis-à-vis the dæmonic phœnix's OFFICIAL RÔLE in fluffy soufflés?

Theorem 1 (Residue Theorem). Let f be analytic in the region G except ...then

$$\frac{1}{2\pi i} \int_{\gamma} f = \sum_{k=1}^m n(\gamma; a_k) \text{Res}(f; a_k).$$

$\alpha\beta\delta\epsilon\zeta\xi\gamma\bar{\zeta}\bar{\xi}\bar{\iota}\bar{\kappa}\bar{\iota}\bar{\lambda}\bar{\eta}\bar{\theta}\bar{\theta}\sigma\zeta\phi\varphi\varrho\tau\pi\mu\nu\omega\chi\psi\infty\propto\emptyset\emptyset\in$

Antikwa Torunska

```
\usepackage[math]{anttor}
```

THE DAZED BROWN FOX
QUICKLY GAVE 12345-67890 JUMPS!
† ‡ £ \$ f ® © %o §

¿But aren't Kafka's SCHLOß and Æsop's ŒUVRES often naïve vis-à-vis the **dæmonic phoenix's OFFICIAL RÔLE** in fluffy soufflés?

Theorem 1 (Residue Theorem). Let f be analytic in the region G except ...then

$$\frac{1}{2\pi i} \int_{\gamma} f = \sum_{k=1}^m n(\gamma; a_k) \text{Res}(f; a_k).$$

Charter met Math Design

\usepackage[charter]{mathdesign}

Theorem 1 (Residue Theorem). Let f be analytic in the region G except ... then

$$\frac{1}{2\pi i} \int_{\gamma} f = \sum_{k=1}^m n(\gamma; a_k) \text{Res}(f; a_k).$$

αβδεεζξγήκικχληθθσςφφρρρτπμνυωωχψωοα∅δε

Utopia met Math Design

\usepackage[utopia]{mathdesign}

Theorem 1 (Residue Theorem). Let f be analytic in the region G except ... then

$$\frac{1}{2\pi i} \int_{\gamma} f = \sum_{k=1}^m n(\gamma; a_k) \text{Res}(f; a_k).$$

αβδεεζξγήηιικχλληθθσζφφρρρτπμνυωωχψ∞∞∅δΞ

Fourier (gebaseerd op Utopia)

\usepackage{fourier}

Theorem 1 (Residue Theorem). Let f be analytic in the region G except ... then

$$\frac{1}{2\pi i} \int_{\gamma} f = \sum_{k=1}^m n(\gamma; a_k) \text{Res}(f; a_k).$$

αβδδεεζγήηιικκλληθθσςφφφρρτπμννωωχψ∞∞∅∅

TeX Gyre

- Uitbreiding van de URW versies van de standaard PostScript fonts
- Zeer veel letters met accenten, voor Oost- en West-Europese talen
- Geen virtuele fonts nodig
- Kleine kapitalen en hangende cijfers
- .pfm files voor gebruik onder Windows
- Ook OpenType versies

Bookman → Bonum

\usepackage{tgbonum}

THE DAZED BROWN FOX
QUICKLY GAVE 12345–67890 JUMPS!
† ‡ £ \$ f ® © %o §

But aren't Kafka's SCHLOSS and Aesop's ŒUVRES often naïve vis-à-vis the **dæmonic phœnix's OFFICIAL RÔLE** in fluffy soufflés?

Palatino → Pagella met mathpazo

```
\usepackage{mathpazo,tgpagella}
```

THE DAZED BROWN FOX
QUICKLY GAVE 12345–67890 JUMPS!
† ‡ £ \$ f ® © %o §

But aren't Kafka's SCHLOSS and Aesop's ŒUVRES often naïve vis-à-vis the dæmonic phœnix's OFFICIAL RÔLE in fluffy soufflés?

Theorem 1 (Residue Theorem). Let f be analytic in the region G except ...then

$$\frac{1}{2\pi i} \int_{\gamma} f = \sum_{k=1}^m n(\gamma; a_k) \text{Res}(f; a_k).$$

αβδδεεζξγћћικκℓληθθσζφφρρτπμνυωωχψ∞ ∝ ØØ ۚ

Times → Termes met txfonts

```
\usepackage{txfonts,tgtermes}
```

THE DAZED BROWN FOX
QUICKLY GAVE 12345-67890 JUMPS!
† ‡ £ \$ f ® © %o §

¿But aren't Kafka's SCHLOSS and Æsop's ŒUVRES often naïve vis-à-vis the **dæmonic phoenix's OFFICIAL RÔLE** in fluffy soufflés?

Theorem 1 (Residue Theorem). Let f be analytic in the region G except ...then

$$\frac{1}{2\pi i} \int_{\gamma} f = \sum_{k=1}^m n(\gamma; a_k) \text{Res}(f; a_k).$$

$\alpha\beta\delta\epsilon\epsilon\zeta\gamma\bar{h}\bar{h}i\kappa\kappa\ell\lambda\eta\theta\vartheta\sigma\varsigma\phi\varphi\varrho\varrho\tau\pi\mu\nu\omega\omega\chi\psi\infty\propto\emptyset\delta\in\emptyset$

Display fonts

Augie: kinderhandschrift

\fontfamily{augie}\selectfont

Feest (met taart) !!!

Fraktur fonts

```
\fontencoding{U}  
\fontfamily{yfrak (of yswab or ygoth)}\selectfont
```

De Laudibus S. Crucis

Te Igitur

Codex Emilianensis

Initialen

```
\usepackage{graphicx,lettrine}
\setcounter{DefaultLines}{3}
\renewcommand\LettrineFont{%
  \fontfamily{fav}\fontsize{48pt}{48pt}\bfseries}
...
\lettrine{T}{ o come back} to the use of ...
```

TO COME BACK to the use of typefaces in electronic publishing: many of the new typographers receive their knowledge and information about the rules of typography from books, from computer magazines or the instruction manuals which they get with the purchase of a PC or software.